Chemica
heat transfers for textiles

OVERLAPPING
CHEMICA'S PRODUCTS

October 12th, 2010

Do you want to overlap our products but don't know how to do it ?

In most cases, overlapping is not an issue at all.
The below sheet lists the results of our tests after 10 washings at 40°C (104°F).

However, we always recommend you to do a trial prior to going to mass production.

		Overlapped products													
Products on which we overlap	**Comments**	**HOTMARK**	**FIRSTMARK**	**UPPERFLOK**	**EASYWEEDING**	**TW-MARK**	**VIBE**	**GLOSSY**	**CRYSTAL**	**GALAXY**	**HM METALLIC**	**DARKLITE**	**REFLEX**	**HM SIR**	**FASHION 3D**
HOTMARK	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
FIRSTMARK	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
UPPERFLOK	—	●			●	●	●	●	●	●		●	●		●
EASYWEEDING	—				●				●						
TW-MARK	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
VIBE	—	●	●		●	●	●	●	●		✋	●	●	●	
GLOSSY	May get more matte when heat pressed several times	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
CRYSTAL	Gets more matte when heat pressed several times	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
METALLIC	Hotmark Metallic is a sensitive product that has to be heat pressed last. Please follow the instructions of application for this product. Heat pressing another product on it will make loose its metalizzed look.														
GALAXY	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
DARKLITE	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
REFLEX	—						●	●	●		✋				
SIR	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●
FASHION 3D	—	●	●	●	●	●	●	●	●	●	✋	●	●	●	●

● The overlapping stands 10 washings at 40°C (104°F).

✋ The overlapping stands 10 washings by hand.