



HOTMARK STRETCH

THE NEW HIGH-PERFORMANCE TEXTILE FLEX DESIGNED FOR USE ON STRETCH FABRICS.

Thanks to its excellent stretch, high comfort and remarkable softness, it moves perfectly with the garment whilst ensuring a premium finish and excellent durability.

TECHNICAL DATA		PRODUCT HIGHLIGHTS								
COMPOSITION	PU	<ul style="list-style-type: none"> - easy to remove the backing paper - ultra-thin - highly stretchy 								
THICKNESS	60 µm									
CARRIER	Adhesive & transparent Polyester									
CUT SETTINGS		CARE & MAINTENANCE								
SIDE	Mirror cutting	<ul style="list-style-type: none"> - Always respect the garment instructions. - Wash inside out to extend the design's life. - Allow 24 hours after application before first wash. - Avoid the use of aggressive products. - Do not bleach. 								
CUTTING	Flex blade 45°									
APPLICATION		<table border="1"> <thead> <tr> <th>Washing</th> <th>Ironing</th> <th>Tumble-dry</th> </tr> </thead> <tbody> <tr> <td> 40°C / 104°F</td> <td> Reverse side</td> <td> Authorised</td> </tr> </tbody> </table>			Washing	Ironing	Tumble-dry	 40°C / 104°F	 Reverse side	 Authorised
Washing	Ironing				Tumble-dry					
 40°C / 104°F	 Reverse side				 Authorised					
TEXTILE	Cotton, polyester, acrylic, cotton/polyester blend, elastane									
TIME	& 155°C - 311°F / 20s									
TEMPERATURE										
PRESSURE	Medium									
PEEL	Cold									

STEP BY STEP : HOW TO USE	STORAGE
<p>STEP 1 - Perform a cutting test with your plotter.</p> <p>STEP 2 - Cut your heat transfer film in mirror, use a blade 45° and weed the excess material.</p> <p>STEP 3 - Apply design on garment.</p> <p>STEP 4 - Press and peel cold.</p>	<ul style="list-style-type: none"> - Storage life recommendation is up to one year. - Store product in dry room with 15°-30°C/ 60°-85°F. - Keep away from sunlight, store in a vertical position.