



# **GALAXY™**

# THE PERFECT GLITTERING HEAT TRANNSFER FILM FOR ACCESSORIES PERSONALISATION

Looking for trendy and smooth touch heat transfer film? Galaxy is a glittering PU that will suit particularly well to the personalisation of fashion and promotional accessories.

#### Fashion Accessories



## **Product description**

- ✓ Smooth touch with a glitter look → two in one finish.
- ✓ Very small and thin sequins, which allow to achieve a perly/iridescent effect.
- ✓ Great to give 3D effect to your personalisations thanks to its thickness.
- ✓ Available in 10 colours:



# Application key points

✓ Very easy to cut thanks its small sequins.

### Usage benefits

- ✓ Adapted to medium designs and lettering personalisations.
- ✓ Recommended on fashion accessories and home deco thanks its soft touch feature.
- ✓ Very easy to care, it could be wash up 60°C.



### **SPECIFICATIONS**

Compos	ition	Average Thickness	Carrier	Dimensions
PU		140-200 μm	Adhesive & Transparent Polyester	All references available in: 50 cm x 5 m Ref. 1108, 1107, 1101, 1102, Also available in: 50cm x 20 m

#### APPLICATION INSTRUCTIONS

Applies on	Cutting	Application Temp. & Duration
Cotton Polyester Acrylic Cotton/Polyester blends without repellent treatment	Use a Flock Blade 60°	All References:  160°C - 20 s  320°F - 20 s  Excepted Reference  1107:  180°C - 20 s  356°F - 20 s

Pressure	Peeling
Medium	Cold

#### Step 1 - Cutting

Set up the cutting of your heat transfer film in mirror mode and use a standard flock blade of  $60^{\circ}$  for the Galaxy.

#### Step 2 - Weeding

Remove the excess of material (easy weeding).

#### Step 3 - Application

Position your design on the textile and press it with a Sefa DUPLEX/ROTEX or equivalent at  $160^{\circ}\text{C}/320^{\circ}\text{F}$  for 20 seconds, with a medium pressure, except for the reference 1107 ( $180^{\circ}\text{C}/356^{\circ}\text{F}$  for 20 seconds).

We do recommend the use of a silicone paper to protect the designs and the textile during the application.

#### Step 4 - Peeling

Peel the material while cold.

NOTE: We highly recommend you to perform tests before launching a production.

#### CARE AND MAINTENANCE RECOMMENDATIONS

from

sunlight

Washing		Ironing	Tumble- dry	Dry cleaning
Up to 60°C/140°F		On reverse side only	Yes	Yes
Storage life	Storage Temperature & Lightning			Position
Up to 1	Dr	y room with	Away	Vertical

15°C-30°C/

59°F-86°F

year

#### Care and maintenance:

- ✓ Always respect the garments' instructions.
- √ Wait 24 hours after the application before the first wash.
- ✓ Avoid the use of aggressive products.

#### **Washing recommendations:**

- ✓ Respect the textile recommendations.
- ✓ Preferably inside out to extend the design's life.
- ✓ Do not bleach.

position