



BLING-BLING MIRROR™

THE MIRROR EFFECT HEAT TRANSFER FILM FOR TRENDY PERSONALISATIONS

Looking for a mirror effect heat transfer film fully in line with latest fashion trends? Bling Bling Mirror is the glossiest metallic flex for fashion garments and soft accessories personalisation.

Fashion garment and accessories





Product description

- ✓ Mirror effect are some of the MUST-HAVE effect in fashion products, always have been present on fashion weeks events!
- ✓ Perfect for weightless textiles thanks to its thinness
- ✓ Glosssy-metallic finish
- ✓ Available in 2 colours :



Application key points

- ✓ Great mirror effect & finish.
- ✓ OEKO TEX Standard 100 class I certified, allowing application even on baby & kids clothing.
- ✓ Perfect to obtain special effect or to add more details to your design with another visual result.
- ✓ Can be peeled hot or cold for more flexibility in your process.

Usage benefits

- ✓ Recommended for application with Bling Bling Star, pressing Bling bling Mirror at the end of the process.
- ✓ Great to add decorative details to fashion and home deco accessories
- ✓ Recommended for Fashion garments and accessories, including baby & kids clothing.
- ✓ Clean finish, with no glue excess.



SPECIFICATIONS

Composition	Average Thickness	Carrier	Dimensions	Certifications
Polyester Aluminium	100 μm	Adhesive & Transparent Polyester	50 cm x 25 m	STANDARD 100 ALL ALL REFERENCES: Class I

APPLICATION INSTRUCTIONS

Applies on	Cutting	Application Temp. & Duration
Cotton Polyester Acrylic & similar fibers	Use a Flock Blade 60°	160°C - 20 s 320°F - 20 s

Pressure	Peeling	
Medium	Hot or Cold	

Step 1 - Cutting

Set up the cutting of your heat transfer film in mirror mode and use a standard flock blade (60°).

Step 2 - Weeding

Remove the excess of material (easy weeding).

Step 3 - Application

Position your design on the textile and press it with Sefa DUPLEX/ROTEX or equivalent at 160°C/320°F for 20 seconds.

We do recommend the use of a silicone paper to protect the designs and the textile during the application.

Step 4 - Peeling

Peel the material while hot or cold.

NOTE: We highly recommend you to perform tests before launching a production.

CARE AND MAINTENANCE

59°F-86°F

PECOMMENDATIONS								
Washing		Ironing	Tumble- dry	Dry cleaning				
By hand		Not recomm en-ded	Not recommen- ded	Not recommen- ded				
Storage life	S	torage Tem Lightr	Position					
Up to 1 year		y room with 5°C-30°C/	Away from	Vertical				

sunlight

Care and maintenance:

- ✓ Always respect the garments' instructions.
- ✓ Wait 24 hours after the application before the first wash.
- ✓ Avoid the use of aggressive products.