





HEAT TRANSFERS FOR TEXTILES

Catalog 2025



 @chemica_emea
 @chemica_emea
 www.chemica.fr
info@chemica.fr

Heat Transfer Films

BEST SELLERS

QUICKFLEX REVOLUTION®

- Universal, water-based PU, quick mode or low temp application, matt finish, soft touch.

		Cotton, polyester, acrylic, nylon, polyamide		90 µm		45 °		140°C / 5 s 120°C / 20 s		Specific textiles : 1st press 140°C / 5 s 2nd press 140°C / 15 s		Hot or Cold		60°C Specific textiles : 40°C
--	--	--	--	-------	--	------	--	-----------------------------	--	--	--	-------------	--	----------------------------------

3601 White	3602 Gold	3603 Black	3604 Golden Yellow	3605 Orange	3606 Red	3608 Light Blue	3609 Royal Blue	3610 Dark Green	3611 Neon Yellow	3612 Navy Blue	3613 Lemon Yellow	3615 Chocolate Brown *	3619 Teal *
3623 Silver	3624 Grey	3625 Light Green	3626 Neon Orange	3628 Pink	3629 Vivid Red	3631 Neon Green	3632 Neon Pink	3636 Quartz Pink *	3641 Pastel Blue *	3642 Pastel Green *	3651 Fushia *	3655 Apple Green *	3660 Plum
3653 Raspberry *	3672 Mouse Grey												

Standard : 30 cm x 5/10 m - 50 cm x 5/20 m
 * : only available in 50cm x 5m
 ■ : also available in 30cm x 20m
 ○ : also available in 150cm x 20m

except 3602

HOTMARK REVOLUTION

- Universal application, thin and semi-matt finish

		Cotton, polyester, acrylic, nylon, polyamide		75 µm		45 °		140°C / 5 s 130°C / 20 s		Specific textiles : 1st press 140°C / 5 s 2nd press 140°C / 15 s		Warm peel		60°C Specific textiles : 40°C
--	--	--	--	-------	--	------	--	-----------------------------	--	--	--	-----------	--	----------------------------------

301 White	302 Gold	303 Black	304 Golden Yellow	305 Orange	306 Red	307 Burgundy	308 Light Blue	309 Royal Blue	310 Dark Green	312 Navy Blue	313 Lemon Yellow	315 Brown *	316 Purple
319 Teal *	323 Silver	324 Grey	325 Light Green	329 Vivid Red	330 Vivid Blue	340 Pastel Orange *	341 Pastel Blue	342 Pastel Green *	343 Pastel Yellow *	351 Fuchsia	352 Pearl *	353 Raspberry	355 Apple Green
359 Plum *	370 Lilac *	371 Candy Pink *	372 Midgrey	374 Mustard *	378 Satin Blue *	377 Satin Moka *	380 Opal *	311 Neon Yellow	326 Neon Orange	331 Neon Green	332 Neon Pink	375 Neon Red *	

Standard : 30 cm x 20 m - 50 cm x 5/10/20 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

only Neon colours

HOTMARK

- The thinnest possible details, very easy to cut, easy to weed and to apply for great effects !

		Cotton, polyester, acrylic, polycotton		55 µm		45 °		160°C / 20 s		Cold		80°C
--	--	--	--	-------	--	------	--	--------------	--	------	--	------

401 White	402 Gold	403 Black	404 Golden Yellow *	405 Orange	406 Red	407 Burgundy	408 Light Blue	409 Royal Blue	410 Dark Green	412 Navy Blue	413 Lemon Yellow	414 Beige *	415 Brown *
416 Purple	418 Forest Green *	419 Teal *	423 Silver	424 Grey	425 Light Green	428 Pink *	429 Vivid Red	430 Vivid Blue	433 Pacific Blue *	434 Skin *	441 Pastel Blue	442 Pastel Green *	444 Pastel Pink *
450 Kaki *	451 Fuchsia	453 Raspberry	454 Caramel *	455 Apple Green	456 Tangerine *	457 Apricot *	458 Anthracite	459 Plum *	470 Lilac *	471 Candy Pink *	472 Midgrey	473 Light Gold *	484 Sun Yellow *
411 Neon Yellow	426 Neon Orange	431 Neon Green	432 Neon Pink										

Standard : 30/50 cm x 20 m - 50 cm x 5/10 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

except 402

UPPERFLOK

- Velvet touch

		Cotton, polyester, acrylic, polycotton		300 µm		60°		160°C / 20 s		Cold		60°C
--	--	--	--	--------	--	-----	--	--------------	--	------	--	------

501 Black	502 White	503 Golden Yellow	504 Red	505 Royal Blue	506 Green	507 Orange	508 Grey	509 Magenta	510 Light Red	511 Navy Blue	512 Lemon Yellow	513 Light Blue	514 Purple *
515 Vivid Blue	517 Light Green *	518 Brown *	519 Beige *	520 Burgundy *	521 Pink *	525 Anise *	527 Kaki *	528 Dark Grey					

Standard : 50 cm x 20 m
 * : only available in 50cmx5m

only 504 & 507 colours

Heat Transfer Films

General Applications

FIRSTMARK

► Phthalate-free vinyl, bright finish.



Standard : 50 cm x 5/20 m _ 30 cm x 20 m
*: colours available in other sizes



WINMARK

► The ideal mix of aesthetics and performance with great prices



Standard : 50 cm x 25 m



Only 2401-2403


Technicals

SUBLOK REVOLUTION

NEW

Sublimated textiles

► anti-dye migration, totally opaque, soft touch, water-based PU





Standard : 50 cm x 10 m



HOTMARK SIR

Sublimated textiles

► Thin, anti-dye migration



Standard : 50 cm x 10 m
also available in 150cm x 20m
*: 75cm x 20m and 50cm x 20m




ALLMARK

Nylon

Water Repellent fabrics

► For Nylon and other specific fabrics




Standard : 50 cm x 20 m



SUNMARK

OUTDOOR

► Outdoor application




Standard : 50 cm x 10/20m _ 150 cm x 10/20m



REFLEX 427

Reflective

► Certified ultra-reflective, great on sports and workwear



Standard : 48/96 cm x 10 m



Heat Transfer Films

Technicals

REFLEX 495

Reflective / Flame retardant

► Certified reflective and flame retardant

Reflective PU

Cotton, polyester, acrylic, polycotton

180 µm

60 °

1st 160°C / 3s
2nd 160°C / 15 s

Hot

40°C

Reflex 495 Grey

Standard : 50 cm x 10 m

OEKO TEX® STANDARD 100 CQ 909/2 IFTH

VEGAN®

REFLEX 497

Reflective

► Reflective Polyurethane with great prices

PU

Cotton, polyester, acrylic

160 µm

60 °

Step 1
160°C / 10 s
Step 2
160°C / 10 s

Hot

40°C

Reflex 497 Grey

Standard : 30 & 50 cm x 10 m

OEKO TEX® STANDARD 100 CQ 909/2 IFTH

VEGAN®

REFLEX 490

NEW

White Reflective

► White Reflective Polyurethane

Reflex 490 White

Standard : 50 cm x 10 m

PU

Cotton, polyester, acrylic

200 µm

60 °

150°C / 15 s

Hot

40°C



Decoratives

BLING BLING STAR

► High quality glittery finish with a raised texture

PES

Cotton, polyester, acrylic

350 µm

60 °

160°C / 20 s

Hot or Cold

40°C

1120 Silver 1121 Gold 1122 Yellow Gold 1123 Red 1124 Light Blue 1125 Green 1126 Pink 1127 Orange 1128 Black 1130 Cherry 1132 Navy Blue 1133 Dark Pink 1134 Black Gold 1147 White Rainbow 1158 Grey 1164 Lavender 1165 Burgundy 1173 Kiwi 1174 Eggplant 1175 Royal Light Blue 1176 Emerald 1178 Multi Pink 1179 Sapphire 1185 Grape 1186 Camel Beige 1187 Chocolate 1188 Gold Rose 1189 Plum 1190 Blue Jade 1191 Lime Green 1192 Kaki Green 1140 Neon Yellow 1141 Neon Green 1144 Neon Light Blue 1145 Neon Purple 1148 Light Pink 1149 Pearl 1181 Neon Pink 1182 Neon Orange

180°C / 20 s

30°C

Standard : 30 cm x 5/20 m



BLING BLING MIRROR

► Mirror effect

FOIL

Cotton, polyester, acrylic

100 µm

60 °

160°C / 20 s

Cold

40°C

1430 Silver 1431 Gold

Standard : 50 cm x 25 m

VEGAN®

BLING BLING GLOSSY

► Flat and glossy effect

FOIL

Cotton, polyester, acrylic

360 µm

60 °

160°C / 20 s

Cold

40°C

1440 Glossy Rose Gold 1441 Glossy Yellow 1442 Glossy Skin 1443 Glossy Mint

Standard : 30 cm x 5/20 m

VEGAN®

BLING BLING TREND

► Trend glossy effect

FOIL

Cotton, polyester, acrylic

330 µm

60 °

160°C / 20 s


Cold

40°C

1446 Trend S Red 1447 Trend S Blue 1448 Trend F Gold 1449 Trend F Silver 1450 Trend C Red

Standard : 30 cm x 5/20 m

VEGAN®




Heat Transfer Films

Decoratives

METALLIC DECO

► Trendy metallic effect





Standard : 30 cm x 5/20 m



METALLIC

► Metallic effect



Standard : 145 cm x 20 m _ 48 cm x 5/10/20 m _ 36 cm x 20 m
*: only available in 48 cm x 5 m

3D-DUOFLEX

► Bi-colour, great textured effect.





Standard : 50 cm x 10 m



FASHION COLLECTION

► Trendy designs




3D Leather




DARKLITE

Phosphorescent PU

► Glows in the dark !




Standard : 50 cm x 10 m



HOLOGRAFLEX

►rainbow iridescent effects




Standard : 30 cm x 20/5 m



GALAXY

► Thin glittery finish





Standard : 50 cm x 5 m

*: colours available in other sizes

CARBON

► 3D-carbon fibers effect




Standard : 50 cm x 10/5 m

REFLEX DECO

Reflective

► Reflective neon colours, great effect & prices !



Standard : 50 cm x 10 m

Printable Transfer Media


BEST SELLERS

EASYPRINT


1722

Solvent / Eco-solvent / Latex

► Even with no tape, matt finish



Standard : 50/75/150 cm x 20 m




HOTMARKPRINT REVOLUTION

1798

Solvent / Eco-solvent

► Universal film, low temp or quick mode application, thin and matt finish.



Standard : 50/75/150 cm x 20 m




HOTMARKPRINT

1792

Solvent / Eco-solvent / Latex

► The thinnest printable film with matt finish



Standard : 50/75/150 cm x 20 m




Sports

HOTMARKPRINT SIR


1795

► Thin anti-dye migration barrier

Solvent / Eco-solvent / Latex



Standard : 50/75/150 cm x 20 m




EASYPRINT SIR

1723

► Anti-dye migration barrier

Solvent / Eco-solvent / Latex



Standard : 50/75/150 cm x 20 m



Printable Transfer Media

Solvent


Eco-solvent

Latex


Technicals & Decoratives

HOTMARKPRINT NYLON 1992

► Special nylon with great colour rendering




Standard : 50/75/150 cm x 20 m



EASYPRINT NYLON 1902

► Excellent holding on nylon



Standard : 50/75/150 cm x 20 m




CLEARPRINT MATTE 1690

Solvent

Eco-solvent

Latex

► Transparent, for bright textile only



Standard : 50/75/150 cm x 20 m




CLEARPRINT 1700


Solvent

Eco-solvent

► Enables complex design with transparency




Standard : 50/75/150 cm x 20 m



GLITTERPRINT 1720


► Smooth glittery finish



Standard : 50 cm x 20 m



METALPRINT 1780 - 1782




Standard : 48/145 cm x 10 m




FLOKPRINT 1950

► Velvet touch




Standard : 50 cm x 10 m



SUNMARKPRINT 1710

► Outdoor application



Standard : 50/75/150 cm x 20 m



Printable Transfer Media

Solvent

Eco-solvent


Latex

Cost effective

WINPRINT

► Cost effective printable media with a bright finish

1725



Standard : 50/75/100 cm x 25 m




Sublimation inks

FAB'TWILL®

5020

► Textile aspect



Standard : 70 cm x 10 m

* Other parameters available please check technical datasheet




FAB'TWILL® SATIN

NEW

5040

► Satin textile aspect



Standard : 44 cm x 25 m


* Other parameters available please check technical datasheet

FAB'TWILL® SIR

5030/5031

► Textile aspect anti-dye migration

► Also available without PET (5031)




Standard : 70 cm x 10 m

* Other parameters available please check technical datasheet



SUBLITEX

► Direct sublimation printing, no transfer paper needed




Standard : A4_A3_50/75 x 10 m

* Other parameters available please check technical datasheet


SUBLIFLOK

► Velvet effect



Standard : 50 cm x 10 m

* Other parameters available please check technical datasheet



1603

1602




Inkjet


ALLJET DARK

803

Applicable on light and dark textiles




Standard : A3 / A4



NEWJET

804

► Applicable on light textiles



Standard : A3 / A4



PRINTABLE HEAT TRANSFER MEDIA SPECIFICATIONS DATA SHEET

AVERAGE THICKNESS	BLADE 45°	FLOCK BLADE 60°	COTTON POLYESTER ACRYLIC	SPECIFIC	TEMPERATURE °C	APPLICATION	PEEL	WASHING TEMPERATURE UP TO	RECOMMENDED TAPE			
									ATT 490	ATT 500	ATT 450	ATT 495

PRINTABLE MEDIA FOR PRINTERS USING SOLVENT / ECO-SOLVENT INKS OPAQUE PRINTABLES MEDIA

PU	HOTMARKPRINT REVOLUTION	75 µm	✓		✓	NYLON	Classic textiles Quick mode : 140° Low temp. : 120° Specific textiles 1st press : 140° 2nd press : 140°	Classic textiles Quick mode : 5 sec Low temp. : 20 sec Specific textiles : 1st press : 5 sec 2nd press : 15 sec	HOT / COLD	Classic textiles 60° Specific textiles 40°				✓
PU	HOTMARKPRINT	50 µm	✓		✓		160°	20 sec	HOT	60°			✓	
VINYL	EASYPRINT	160 µm	✓		✓		160°	20 sec	HOT	60°				✓
VINYL	WINPRINT	110 µm	✓		✓		140°	20 sec	WARM & SLOWLY	40°	✓	✓	✓	✓

TRANSLUCENT PRINTABLE MEDIA

PU	CLEARPRINT	60 µm	✓		✓		160°	20 sec	COLD	60°				
PU	CLEARPRINT MATTE	50 µm	✓		✓		160°	20 sec	COLD	40°				

FASHION EFFECTS PRINTABLE MEDIA

PU	GLITTERPRINT	200 µm		✓	✓		180°	20 sec	HOT	40°			✓	
PU	METALPRINT	85 µm	✓		✓		145°	15 sec	HOT	or COLD	✓			

SUBLIMATION BLOCK-OUT PRINTABLE MEDIA

PU	HOTMARKPRINT SIR	100 µm	✓		✓		150°	20 sec	HOT	60°	✓			
VINYL	EASYPRINT SIR	190 µm	✓		✓	SUBLIMATED POLYESTER	150°	20 sec	HOT	40°				✓

NYLON SPECIFIC PRINTABLE MEDIA

PU	HOTMARKPRINT NYLON	50 µm	✓		✓	COATED NYLON	140°	20 sec	HOT	40°	✓			
VINYL	EASYPRINT NYLON	160 µm	✓		✓	COATED NYLON	140°	20 sec	WARM & SLOWLY	40°				✓

FLOCK PRINTABLE MEDIA

VINYL	FLOKPRINT			✓	✓		160°	20 sec	HOT	40°		✓		
-------	-----------	--	--	---	---	--	------	--------	-----	-----	--	---	--	--

PRINTABLE MEDIA FOR OUTDOOR USE

VINYL	SUNMARKPRINT	160 µm	✓			AWNINGS OUTDOOR SUPPORTS	100°	20 sec	HOT	✗				✓
-------	--------------	--------	---	--	--	--------------------------	------	--------	-----	---	--	--	--	---

PRINTABLE MEDIA FOR SUBLIMATION PRINTING

P	SUBLITEX	200 µm		✓	✓		170°	50 sec		60°				
FIBERS	SUBLIFLOK	N/D		✓	✓		170°	50 sec		60°				
P	FAB'TWILL®	190 µm	LaserCut		✓		160°	20 sec	HOT	40°/60°				
P	FAB'TWILL® SIR	230 µm	LaserCut				160°	20 sec	HOT	40°/60°				
P	FAB'TWILL® SATIN	250 µm	LaserCut	✓	✓		160°	20 sec	HOT	40°				

PRINTABLE MEDIA FOR INKJET PRINTERS

FILM	ALLJET DARK	105-110 µm			✓		160°	20 sec	COLD	40°				
FILM	NEWJET	85 µm			✓		160°	20 sec	COLD	40°				



Handwash only
Lavage à la main
uniquement



Not recommended
Non recommandé



Polyuréthane



Polyester Textile

Accessories

Application Tapes

ATT490

Low Tack

- ▶ Honeycomb backing

 Standard 50/75 cm x 25m

ATT495

Strong Tack

- ▶ Universal tape with smooth backing

 Standard 50/75 cm x 25 m

ATT450

Low / Medium Tack

- ▶ Honeycomb backing

 Standard 50/75 cm x 25m

ATT500

Medium Tack

- ▶ Without backing, adapted to a laminator use

 Standard 50 cm x 25 m



DTF PET

PET DTF

▶ 5900

 Standard 30/60 cm x 100 m

PET DTF INSTANT PEEL

NEW

▶ 5901

 Standard 30/60 cm x 100 m



Accessories

HOOK 8901

- ▶ Stainless steel pick with an ultra-fine tip for precision weeding.

TWEEZER - 8902

- ▶ Stainless steel tweezer for easy weeding.

SQUEEGEE - 8903

- ▶ Accessory driving air bubbles out when applying tape on printable media.

All our application guidelines are available on our technical datasheets on www.chemica.fr

Chemica

HEAT TRANSFERS FOR TEXTILES

WHO WE ARE



of heat transfer expertise



WORLDWIDE

Acting in more than 80 countries



SPECIFIC DEMAND

All your demands may be studied, do not hesitate to contact our salesteam !



QUALITY

Compliance with the most demanding standards
Very high quality products



TEAM

50 people


Strong customer-oriented team



AVAILABILITY

Products available **on stock**

Chemica Craft



CHEMICA SAS,
35 rue de Malacussy, BP
20173, 42012 Saint-Etienne
Cedex 2,
FRANCE

Tel : +33 (0)4 77 49 20 90
Mail : info@chemica.fr



www.chemica.fr



Chemica | Stilscreen | Sefa | Elms | Sporting ID | Transfer ID