






HEAT TRANSFERS FOR TEXTILES



**Catalog
2024**

Heat Transfer Films

BEST SELLERS

QUICKFLEX REVOLUTION®

- Universal, water-based PU, quick mode or low temp application, matt finish, soft touch.

		Cotton, polyester, acrylic, nylon, polyamide		90 µm		45°		140°C / 5 s 120°C / 20 s		Specific textiles: 1st press 140°C / 5 s 2nd press 140°C / 15 s		Hot or Cold		60°C Specific textiles: 40°C
--	--	--	--	-------	--	-----	--	-----------------------------	--	---	--	-------------	--	------------------------------------

Standard : 30 cm x 5/10 m - 50 cm x 5/20 m
 * : only available in 50cm x 5m
 ■ : also available in 30cm x 20m
 □ : also available in 150cm x 20m

except 3602

HOTMARK REVOLUTION

- Universal application, thin and semi-matt finish

		Cotton, polyester, acrylic, nylon, polyamide		75 µm		45°		140°C / 5 s 130°C / 20 s		Specific textiles: 1st press 140°C / 5 s 2nd press 140°C / 15 s		Warm peel		60°C Specific textiles: 40°C
--	--	--	--	-------	--	-----	--	-----------------------------	--	---	--	-----------	--	------------------------------------

Standard : 30 cm x 20 m - 50 cm x 5/10/20 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

only Neon colours

HOTMARK

- The thinnest possible details, very easy to cut, easy to weed and to apply for great effects !

		Cotton, polyester, acrylic, polycotton		55 µm		45°		160°C / 20 s		Cold		80°C
--	--	--	--	-------	--	-----	--	--------------	--	------	--	------

Standard : 30/50 cm x 20 m - 50 cm x 5/10 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

except 402

UPPERFLOK

- Velvet touch



		Cotton, polyester, acrylic, polycotton		300 µm		60°		160°C / 20 s		Cold		60°C
--	--	--	--	--------	--	-----	--	--------------	--	------	--	------

Standard : 50 cm x 20 m
 * : only available in 50cmx5m

Heat Transfer Films

FIRSTMARK

► Phthalate-free vinyl, bright finish.




Standard : 50 cm x 5/20 m _ 30 cm x 20 m
*: colours available in other sizes



WINMARK

► The ideal mix of aesthetics and performance with great prices



Standard : 50 cm x 25 m




Only 2401-2403

Technicals

SUBLOK NEW

Sublimated textiles

► anti-dye migration, totally opaque, soft touch, water-based PU





Standard : 50 cm x 10 m



HOTMARK SIR

Sublimated textiles

► Thin, anti-dye migration



Standard : 50 cm x 10 m
*: also available in 150cm x 20m
75cm x 20m and 50cm x 20m





711 class II

SUNMARK

OUTDOOR

► Outdoor application



Standard : 50 cm x 10/20 m _ 150 cm x 10/20 m




ALLMARK

Nylon

Water Repellent fabrics

► For Nylon and other specific fabrics




Standard : 50 cm x 20 m



REFLEX 427

Reflective

► Certified ultra-reflective, great on sports and workwear



Standard : 48/ 96 cm x 10 m




Heat Transfer Films

Technicals

REFLEX 495

Reflective / Flame retardant

► Certified reflective and flame retardant




Reflex 495 Grey



REFLEX 497

Reflective

► Reflective Polyurethane with great prices




Reflex 497 Grey



Decoratives


BLING BLING STAR

► High quality glittery finish with a raised texture




BLING BLING MIRROR

► Mirror effect





BLING BLING GLOSSY

► Flat and glossy effect



BLING BLING TREND

► Trend glossy effect



Heat Transfer Films

Decoratives

METALLIC DECO

► Trendy metallic effect



Cotton,
polyester,
acrylic



55 µm



45 °



150°C / 20 s





Cold



40°C



1422 Rainbow Lines



1423 Rainbow Waves



Standard : 30 cm x 5/20 m



METALLIC

► Metallic effect



Cotton,
polyester,
acrylic,
polycotton



60 µm



45 °



145°C / 15 s





Cold



handwash



420 Silver



421 Gold



435 Blue *



436 Green *



437 Red *



438 Copper *



460 Fushia *



461 Bronze *



462 Zinc *



Holographic



422 Rainbow *



STANDARD 100
CQ 909/2
PFTH



Only 420-421



Standard : 145 cm x 20 m _ 48 cm x 5/10/20 m _ 36 cm x 20 m

*: only available in 48 cm x 5 m

3D-DUOFLEX

► Bi-colour, great textured effect.



Cotton,
polyester,
acrylic,
polycotton



460 µm



60 °



165°C / 20 s to 60 s





Cold



40°C



4401 Black & White



4403 White & Black



4404 White & Yellow



4406 White & Red



4409 White & Blue



4410 White & Green



Standard : 50 cm x 10 m



FASHION COLLECTION

► Trendy designs



Cotton,
polyester,
acrylic
polycotton



50 µm



45 °



160°C / 20 s





Cold



60°C



620 Leopard



621 Panther



622 Zebra



623 Zebra Fluo Pink



642 Army Pink

3D Leather



170 µm



660 Brown Leather



Standard : 50 cm x 5 m



DARKLITE

Phosphorescent PU

► Glows in the dark !



Cotton,
polyester,
acrylic
polycotton



130 µm



45 °



150°C / 15 s





Cold



40°C



750 White





Standard : 50 cm x 10 m



HOLOGRAFLEX

► rainbow iridescent effects



Cotton,
polyester,
acrylic



80 µm



60°



160°C / 20 s





Hot



40°C



1402 Pink White



1403 Pink Red



1404 Pink Blue



1405 Blue White



1406 Blue Red




1407 Blue Blue



Standard : 30 cm x 20/5 m





GALAXY

► Thin glittery finish



Cotton,
polyester,
acrylic



140-200 µm



60 °



160°C / 20 s





Cold



60°C



1101 Silver *



1102 Gold *



1103 Red



1104 Blue



1105 Green



1106 Pink



1107 White *



1108 Black *



1109 Purple



1110 Light Blue





Standard : 50 cm x 5 m

*: colours available in other sizes

CARBON

► 3D-carbon fibers effect



Cotton,
polyester,
acrylic,
polycotton



150 µm



45 °



160°C / 20 s





Cold



60°C



680 Black



681 White



682 Gold



683 Silver



686 Red



689 Blue



Standard : 50 cm x 10/5 m





REFLEX DECO

Reflective

► Reflective neon colours, great effect & prices !



Cotton,
polyester,
acrylic



140-200 µm



60 °



160°C / 20 s





Hot



40°C



491 Blue



492 Green



493 Red



494 Yellow



498 Black





Standard : 50 cm x 10 m

Printable Transfer Media

BEST SELLERS

EASYPRINT

Solvent

Eco-solvent

Latex

- Even with no tape, matt finish

Cotton, polyester, acrylic, polycotton

160 µm


45 °

160°C / 20 s

Hot

60°C

Standard : 50/75/150 cm x 20 m



1722

HOTMARKPRINT REVOLUTION

Solvent

Eco-solvent

- Universal film, low temp or quick mode application, thin and matt finish.

Cotton, polyester, acrylic, nylon, polycotton

75 µm

45 °

140°C / 5s
 120°C / 20s

Hot or Cold

60°C

Specific textiles :
 1st press : 140°C / 5s
 2nd press : 140°C / 15s

Specific textiles :
 40°C

Standard : 50/75/150 cm x 20 m



1798

HOTMARKPRINT

Solvent

Eco-solvent

Latex

- The thinnest printable film with matt finish

Cotton, polyester, acrylic

50 µm

45 °

160°C / 20 s

Hot

60°C

Standard : 50/75/150 cm x 20 m



1792

Sports

HOTMARKPRINT SIR

1795

- Thin anti-dye migration barrier

Solvent

Eco-solvent

Latex

Sublimed polyester, cotton, acrylic


100 µm

45 °

150°C / 20 s

Hot

Standard : 50/75/150 cm x 20 m



EASYPRINT SIR

1723

- Anti-dye migration barrier

Solvent

Eco-solvent

Latex

Sublimed polyester, cotton, acrylic

190 µm

45 °

150°C / 20 s

Hot

40°C

Standard : 50/75/150 cm x 20 m



Printable Transfer Media

Solvent


Eco-solvent

Latex


Technicals & Decoratives

HOTMARKPRINT NYLON 1992

► Special nylon with great colour rendering




Standard : 50/75/150 cm x 20 m



EASYPRINT NYLON 1902

► Excellent holding on nylon



Standard : 50/75/150 cm x 20 m




CLEARPRINT MATTE 1690

Solvent

Eco-solvent

Latex

► Transparent, for bright textile only



Standard : 50/75/150 cm x 20 m




CLEARPRINT 1700

Solvent

Eco-solvent

► Enables complex design with transparency




Standard : 50/75/150 cm x 20 m



GLITTERPRINT 1720



► Smooth glittery finish



Standard : 50 cm x 20 m



METALPRINT 1780 - 1782




Standard : 48/145 cm x 10 m



FLOKPRINT 1950

► Velvet touch




Standard : 50 cm x 10 m



SUNMARKPRINT 1710

► Outdoor application



Standard : 50/75/150 cm x 20 m




Printable Transfer Media

WINPRINT

- Cost effective printable media with a bright finish

1725



Standard : 50/100 cm x 25 m




Sublimation inks

FAB'TWILL®

5020

- Textile aspect




Standard : 70 cm x 10 m




FAB'TWILL® SIR

5030/5031

- Textile aspect anti-dye migration
- Also available without PET (5031)




Standard : 70 cm x 10 m



SUBLITEX

- Direct sublimation printing, no transfer paper needed




Standard : A4_A3_50/75 x 10 m
* Other parameters available please check technical datasheet




1603

SUBLIFLOK

- Velvet effect



Standard : 50 cm x 10 m
* Other parameters available please check technical datasheet




1602

Inkjet


ALLJET DARK

803

- Applicable on light and dark textiles




Standard : A3



NEWJET

804

- Applicable on bright textiles



Standard : A3 / A4



Home heat transfer

PRINTABLE HEAT TRANSFER MEDIA SPECIFICATIONS DATA SHEET

		 AVERAGE THICKNESS	 BLADE 45°	 FLOCK BLADE 60°	 COTTON POLYESTER ACRYLIC	 SPECIFIC	 TEMPERATURE °C	 APPLICATION	 PEEL	 WASHING TEMPERATURE UP TO	RECOMMENDED TAPE			
											ATT 490	ATT 500	ATT 450	ATT 495
PRINTABLE MEDIA FOR PRINTERS USING SOLVENT / ECO-SOLVENT INKS														
OPAQUE PRINTABLES MEDIA														
 HOTMARKPRINT REVOLUTION	75 µm	✓			✓	NYLON	Classic textiles Quick mode : 140° Low temp. : 120° Specific textiles 1st press : 140° 2nd press : 140°	Classic textiles Quick mode : 5 sec Low temp. : 20 sec Specific textiles : 1st press : 5 sec 2nd press : 15 sec	 HOT / COLD	Classic textiles 60° Specific textiles 40°				✓
 HOTMARKPRINT	50 µm	✓			✓		160°	20 sec	 HOT	60°			✓	
 EASYPRINT	160 µm	✓			✓		160°	20 sec	 HOT	60°				✓
 WINPRINT	110 µm	✓			✓		140°	20 sec	WARM & SLOWLY	40°	✓	✓	✓	✓
TRANSLUCENT PRINTABLE MEDIA														
 CLEARPRINT	60 µm	✓			✓		160°	20 sec	 COLD	60°				
 CLEARPRINT MATTE	50 µm	✓			✓		160°	20 sec	 COLD	40°				
FASHION EFFECTS PRINTABLE MEDIA														
 GLITTERPRINT	200 µm		✓	✓			180°	20 sec	HOT	40°			✓	
 METALPRINT	85 µm	✓			✓		145°	15 sec	 HOT	 or COLD	✓			
SUBLIMATION BLOCK-OUT PRINTABLE MEDIA														
 HOTMARKPRINT SIR	100 µm	✓			✓		150°	20 sec	 HOT	60°	✓			
 EASYPRINT SIR	190 µm	✓			✓	SUBLIMATED POLYESTER	150°	20 sec	 HOT	40°				✓
NYLON SPECIFIC PRINTABLE MEDIA														
 HOTMARKPRINT NYLON	50 µm	✓			✓	COATED NYLON	140°	20 sec	 HOT	40°	✓			
 EASYPRINT NYLON	160 µm	✓			✓	COATED NYLON	140°	20 sec	WARM & SLOWLY	40°				✓
FLOCK PRINTABLE MEDIA														
 FLOKPRINT				✓	✓		160°	20 sec	 HOT	40°		✓		
PRINTABLE MEDIA FOR OUTDOOR USE														
 SUNMARKPRINT	160 µm	✓				AWNINGS OUTDOOR SUPPORTS	100°	20 sec	 HOT	✗				✓
PRINTABLE MEDIA FOR SUBLIMATION PRINTING														
 SUBLITEX	200 µm		✓	✓			170°	50 sec		60°				
 SUBLIFLOK	N/D		✓	✓			170°	50 sec		60°				
 FAB'TWILL®	190 µm	 Lasercut			✓		160°	20 sec	 COLD	40°/60°				
 FAB'TWILL® SIR	230 µm	 Lasercut					160°	20 sec	 COLD	40°/60°				
PRINTABLE MEDIA FOR INKJET PRINTERS														
 ALLJET DARK	105-110 µm				✓		160°	20 sec	 COLD	40°				
 NEWJET	85 µm				✓		160°	20 sec	 COLD	40°				



Handwash only
Lavage à la main
uniquement



Not recommended
Non recommandé



Polyuréthane



White Polyester Textile

ATT490

Low Tack

► Honeycomb backing

 Standard 50/75 cm x 25m

ATT495

Strong Tack

► Universal tape with smooth backing

 Standard 50/75 cm x 25 m

ATT450

Low / Medium Tack

► Honeycomb backing


 Standard 50/75 cm x 25m

ATT500

Medium Tack

► Without backing, adapted to a laminator use

 Standard 50 cm x 25 m



DTF PET

PET DTF

► 5900

 Standard 30/60 cm x 100 m



Accessories

HOOK 8901

► Stainless steel pick with an ultra-fine tip for precision weeding.

TWEEZER - 8902

► Stainless steel tweezer for easy weeding.

SQUEEGEE - 8903

► Accessory driving air bubbles out when applying tape on printable media.

All our application guidelines are available on our technical datasheets on www.chemica.fr

Chemica

HEAT TRANSFERS FOR TEXTILES

WHO WE ARE



of heat transfer expertise



SPECIFIC DEMAND

All your demands may be studied, do not hesitate to contact our salesteam !



AVAILABILITY

Products available **on stock**



WORLDWIDE

Acting in more than 80 countries



QUALITY

Compliance with the most demanding standards
Very high quality products



TEAM

50 people

Strong customer-oriented team

NEW

Chemica Craft

