

Heat Transfer Films - Printable Transfer Media



Heat Transfer Films

BEST SELLERS

QUICKFLEX REVOLUTION®

- Universal, water-based PU, quick mode or low temp application, matt finish, soft touch.

		Cotton, polyester, acrylic, nylon, polyamide		90 µm		45°		140°C / 5 s 120°C / 20 s		Specific textiles: 1st press 140°C / 5 s 2nd press 140°C / 15 s		Hot or Cold		60°C Specific textiles: 40°C
--	--	--	--	-------	--	-----	--	-----------------------------	--	---	--	-------------	--	------------------------------------

3601 White	3602 wGold	3603 Black	3604 Golden Yellow	3605 Orange	3606 Red	3608 Light Blue	3609 Royal Blue	3610 Dark Green	3611 Neon Yellow	3612 Navy Blue	3613 Lemon Yellow	3615 Chocolate Brown *	3619 Teal *
3623 Silver	3624 Grey	3625 Light Green	3626 Neon Orange	3628 Pink	3629 Vivid Red *	3631 Neon Green	3632 Neon Pink	3636 Quartz Pink *	3641 Pastel Blue *	3642 Pastel Green *	3651 Fushia *	3655 Apple Green *	3660 Plum
3653 Raspberry *	3672 Mouse Grey *												

Standard : 30 cm x 5/10 m - 50 cm x 5/20 m
 * : only available in 50cm x 5m
 ■ : also available in 30cm x 20m

except 3602

HOTMARK REVOLUTION

- Universal application, thin and semi-matt finish

		Cotton, polyester, acrylic, nylon, polyamide		75 µm		45°		140°C / 5 s 130°C / 20 s		Specific textiles: 1st press 140°C / 5 s 2nd press 140°C / 15 s		Warm peel		60°C Specific textiles: 40°C
--	--	--	--	-------	--	-----	--	-----------------------------	--	---	--	-----------	--	------------------------------------

301 White	302 Gold	303 Black	304 Golden Yellow	305 Orange	306 Red	307 Burgundy	308 Light Blue	309 Royal Blue	310 Dark Green	312 Navy Blue	313 Lemon Yellow	315 Brown *	316 Purple
319 Teal *	323 Silver	324 Grey	325 Light Green	329 Vivid Red	330 Vivid Blue	340 Pastel Orange *	341 Pastel Blue	342 Pastel Green *	343 Pastel Yellow *	351 Fuchsia	352 Pearl *	353 Raspberry	355 Apple Green
359 Plum *	370 Lilac *	371 Candy Pink *	372 Midgrey	374 Mustard *	378 Satin Blue *	377 Satin Moka *	380 Opal *	311 Neon Yellow	326 Neon Orange	331 Neon Green	332 Neon Pink	375 Neon Red *	

Standard : 30 cm x 20 m - 50 cm x 5/10/20 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

only Neon colours

except 3602

HOTMARK

- The thinnest possible details, very easy to cut, easy to weed and to apply for great effects !

		Cotton, polyester, acrylic, polycotton		55 µm		45°		160°C / 20 s		Cold		80°C
--	--	--	--	-------	--	-----	--	--------------	--	------	--	------

401 White	402 Gold	403 Black	404 Golden Yellow *	405 Orange	406 Red	407 Burgundy	408 Light Blue	409 Royal Blue	410 Dark Green	412 Navy Blue	413 Lemon Yellow	414 Beige *	415 Brown *
416 Purple	418 Forest Green *	419 Teal *	423 Silver	424 Grey	425 Light Green	428 Pink *	429 Vivid Red	430 Vivid Blue	433 Pacific Blue *	434 Skin *	441 Pastel Blue	442 Pastel Green *	444 Pastel Pink *
450 Kaki *	451 Fuchsia	453 Raspberry	454 Caramel *	455 Apple Green	456 Tangerine *	457 Apricot *	458 Anthracite	459 Plum *	470 Lilac *	471 Candy Pink *	472 Midgrey	473 Light Gold *	484 Sun Yellow *
411 Neon Yellow	426 Neon Orange	431 Neon Green	432 Neon Pink										

Standard : 30/50 cm x 20 m - 50 cm x 5/10 m
 ■ : also available in 150cm x 20m and 75cm x 20m
 * : only available in 50cm x 5m not available in 30cm x 20m

except 402

UPPERFLOK

- Velvet touch

		Cotton, polyester, acrylic, polycotton		300 µm		60°		160°C / 20 s		Cold		60°C
--	--	--	--	--------	--	-----	--	--------------	--	------	--	------



501 Black	502 White	503 Golden Yellow	504 Red	505 Royal Blue	506 Green	507 Orange	508 Grey	509 Magenta	510 Light Red	511 Navy Blue	512 Lemon Yellow	513 Light Blue	514 Purple *
515 Vivid Blue	517 Light Green *	518 Brown *	519 Beige *	520 Burgundy *	521 Pink *	525 Anise *	527 Kaki *	528 Dark Grey					

Standard : 50 cm x 20 m
 * : only available in 50cmx5m

Heat Transfer Films

FIRSTMARK

► Phtalate-free vinyl, bright finish.




Standard : 50 cm x 5/20 m _ 30 cm x 20 m
*: colours available in other sizes



WINMARK

► The ideal mix of aesthetics and performance with great prices



Only 2401-2403

Technicals

SUBLOK

Sublimated textiles

► anti-dye migration, totally opaque, soft touch, water-based PU





Standard : 50 cm x 10 m



HOTMARK SIR

Sublimated textiles

► Thin, anti-dye migration



Standard : 50 cm x 10 m
*: colours available in other sizes





711 class II

SUNMARK

OUTDOOR

► Outdoor application




Standard : 50 cm x 10/20 m _ 150 cm x 10/20 m



ALLMARK

Nylon / Water Repellent fabrics

► For Nylon and other specific fabrics




Standard : 50 cm x 20 m



REFLEX 427

Reflective

► Certified ultra-reflective, great on sports and workwear



Standard : 48/ 96 cm x 10 m




Heat Transfer Films

Technicals

REFLEX 495

Reflective / Flame retardant

► Certified reflective and flame retardant



Reflex 495 Grey




REFLEX 497

Reflective

NEW

► Reflective Polyurethane with great prices



Reflex 497 Grey



Decoratives

BLING BLING STAR

► High quality glittery finish with a raised texture



BLING BLING MIRROR

► Mirror effect





1430 Silver 1431 Gold



BLING BLING GLOSSY



► Flat and glossy effect



BLING BLING TREND

► Trend glossy effect

NEW



Heat Transfer Films

Decoratives

METALLIC DECO

► Trendy metallic effect



Cotton,
polyester,
acrylic



55 µm



45 °



150°C / 20 s



Cold



40°C



1422 Rainbow
Lines



1423 Rainbow
Waves



Standard : 30 cm x 5/20 m



METALLIC

► Metallic effect



Cotton,
polyester,
acrylic,
polycotton



60 µm



45 °



145°C / 15 s



Cold



handwash



420 Silver



421 Gold



435 Blue *



436 Green *



437 Red *



438 Copper *



460 Fushia *



461 Bronze *



462 Zinc *



Holographic



422 Rainbow *





Standard : 145 cm x 20 m _ 48 cm x 5/10/20 m _ 36 cm x 20 m

* : only available in 48 cm x 5 m

3D-DUOFLEX

► Bi-colour, great textured effect.



Cotton,
polyester,
acrylic,
polycotton



460 µm



60 °



165°C / 20 s to 60 s



Cold



40°C



4401 Black
& White



4403 White
& Black



4404 White
& Yellow



4406 White
& Red



4409 White
& Blue



4410 White
& Green



Standard : 50 cm x 10 m



FASHION COLLECTION

► Trendy designs



Cotton,
polyester,
acrylic
polycotton



50 µm



45 °



160°C / 20 s



Cold



60°C

Animal Print Collection



620 Leopard



621 Panther



622 Zebra



623 Zebra
Fluo Pink

Army Collection



640 Army



642 Army
Pink

3D Leather



170 µm



660 Brown
Leather



Standard : 50 cm x 5 m



DARKLITE

Phosphorescent PU

► Glows in the dark !



Cotton,
polyester,
acrylic
polycotton



130 µm



45 °



150°C / 15 s



Cold



40°C



750 White





Standard : 50 cm x 10 m



HOLOGRAFLEX

► rainbow iridescent effects



Cotton,
polyester,
acrylic



80 µm



60°



160°C / 20 s



Hot



40°C



1402 Pink
White



1403 Pink
Red



1404 Pink
Blue



1405 Blue
White



1406 Blue
Red



1407 Blue
Blue



Standard : 30 cm x 20/5 m





GALAXY

► Thin glittery finish



Cotton,
polyester,
acrylic



140-200 µm



60 °



160°C / 20 s



Cold



60°C



1101 Silver *



1102 Gold *



1103 Red



1104 Blue



1105 Green



1106 Pink



1107 White *



1108 Black *



1109 Purple



1110 Light Blue





Standard : 50 cm x 5 m

* : colours available in other sizes

CARBON

► 3D-carbon fibers effect



Cotton,
polyester,
acrylic,
polycotton



150 µm



45 °



160°C / 20 s



Cold



60°C



680 Black



681 White



682 Gold



683 Silver



686 Red



689 Blue



Standard : 50 cm x 10/5 m



STANDARD 100
CQ 909/2
IFTH



REFLEX DECO

Reflective

► Reflective neon colours, great effect & prices !



Cotton,
polyester,
acrylic



140-200 µm



60 °



160°C / 20 s



Hot



40°C



491 Blue



492 Green



493 Red



494 Yellow



498 Black





Standard : 50 cm x 10 m

Printable Transfer Media

BEST SELLERS

EASYPRINT

Solvent

Eco-solvent

Latex

➤ Even with no tape, matt finish

VINYL

Cotton, polyester, acrylic, polycotton

160 µm

45 °

160°C / 20 s


Hot

60°C

Standard : 37,5/50/75/150 cm x 20 m



1722



HOTMARKPRINT REVOLUTION

Solvent

Eco-solvent

➤ Universal film, low temp or quick mode application, thin and matt finish.

PU

Cotton, polyester, acrylic, nylon, polycotton

75 µm

45 °

140°C / 5s
 120°C / 20s

Hot or Cold

60°C

Specific textiles:
 1st press : 140°C / 5s
 2nd press : 140°C / 15s

Specific textiles:
 40°C

Standard : 37,5/50/75/150 cm x 20 m



1798



HOTMARKPRINT

Solvent

Eco-solvent

Latex

➤ The thinnest printable film with matt finish

PU

Cotton, polyester, acrylic

50 µm

45 °

160°C / 20 s


Hot

60°C

Standard : 37,5/50/75/150 cm x 20 m



1792



Sports

HOTMARKPRINT SIR

➤ Thin anti-dye migration barrier

Solvent

Eco-solvent

Latex

PU

Sublimed polyester, cotton, acrylic


100 µm

45 °

150°C / 20 s

Hot

Standard : 37,5/50/75/150 cm x 20 m



1795

EASYPRINT SIR

➤ Anti-dye migration barrier

Solvent

Eco-solvent

Latex

VINYL

Sublimed polyester, cotton, acrylic

190 µm

45 °

150°C / 20 s

Hot

40°C

Standard : 37,5/50/75/150 cm x 20 m



1723



Printable Transfer Media

Solvent


Eco-solvent

Latex


Technicals & Decoratives

HOTMARKPRINT NYLON 1992

- Special nylon with great colour rendering




Standard : 37,5/50/75/150 cm x 20 m



EASYPRINT NYLON 1902

- Excellent holding on nylon



Standard : 37,5/50/75/150 cm x 20 m




CLEARPRINT MATTE 1690

Solvent

Eco-solvent

Latex

- Transparent, for bright textile only



Standard : 37,5/50/75/150 cm x 20 m




CLEARPRINT 1700

Solvent

Eco-solvent

- Enables complex design with transparency




Standard : 37,5/50/75/150 cm x 20 m



GLITTERPRINT 1720


- Smooth glittery finish



Standard : 50 cm x 20 m



METALPRINT 1780 - 1782



Standard : 48/145 cm x 10 m



FLOKPRINT 1950

- Velvet touch




Standard : 50 cm x 10 m




SUNMARKPRINT 1710

- Outdoor application



Standard : 37,5/50/75/150 cm x 20 m




WINPRINT

► Cost effective printable media with a bright finish

NEW

1725



Standard : 37,5/50/75/150 cm x 25 m




Sublimation inks

FAB'TWILL®

5020

► Textile aspect



Standard : 70 cm x 10 m



NEW

Sublimation paper is now available


FAB'TWILL® SIR

5030/5031

► Textile aspect anti-dye migration
► Also available without PET (5031)




Standard : 70 cm x 10 m



SUBLITEX

► Direct sublimation printing, no transfer paper needed




Standard : A4_A3_50/75 x 10 m




1603

SUBLIFLOK

► Velvet effect



Standard : 50 cm x 10 m




1602

Inkjet


ALLJET DARK

803

► Applicable on light and dark textiles



Standard : A3



Home heat transfer

NEWJET

804

► Applicable on bright textiles



Standard : A3 / A4



PRINTABLE HEAT TRANSFER MEDIA

SPECIFICATIONS DATA SHEET

		 AVERAGE THICKNESS	 BLADE 45°	 FLOCK BLADE 60°	 COTTON POLYESTER ACRYLIC	 SPECIFIC	 TEMPERATURE °C	 APPLICATION	 PEEL	 WASHING TEMPERATURE UP TO	RECOMMENDED TAPE			
											ATT 490	ATT 500	ATT 450	ATT 495
PRINTABLE MEDIA FOR PRINTERS USING SOLVENT / ECO-SOLVENT INKS														
OPAQUE PRINTABLES MEDIA														
 HOTMARKPRINT REVOLUTION	75 µm	✓			✓	NYLON	Classic textiles Quick mode : 140° Low temp. : 120° Specific textiles 1st press : 140° 2nd press : 140°	Classic textiles Quick mode : 5 sec Low temp. : 20 sec Specific textiles : 1st press : 5 sec 2nd press : 15 sec	 HOT/COLD	Classic textiles 60° Specific textiles 40°				✓
 HOTMARKPRINT	50 µm	✓			✓		160°	20 sec	 HOT	60°			✓	
 EASYPRINT	160 µm	✓			✓		160°	20 sec	 HOT	60°				✓
 WINPRINT	110 µm	✓			✓		140°	20 sec	WARM & SLOWLY	40°	✓	✓	✓	✓
TRANSLUCENT PRINTABLE MEDIA														
 CLEARPRINT	60 µm	✓			✓		160°	20 sec	 COLD	60°				
 CLEARPRINT MATTE	50 µm	✓			✓		160°	20 sec	 COLD	40°				
FASHION EFFECTS PRINTABLE MEDIA														
 GLITTERPRINT	200 µm		✓	✓			180°	20 sec	HOT	40°			✓	
 METALPRINT	85 µm	✓			✓		145°	15 sec	 HOT	 or COLD	✓			
SUBLIMATION BLOCK-OUT PRINTABLE MEDIA														
 HOTMARKPRINT SIR	100 µm	✓			✓		150°	20 sec	 HOT	60°	✓			
 EASYPRINT SIR	190 µm	✓			✓	SUBLIMATED POLYESTER	150°	20 sec	 HOT	40°				✓
NYLON SPECIFIC PRINTABLE MEDIA														
 HOTMARKPRINT NYLON	50 µm	✓			✓	COATED NYLON	140°	20 sec	 HOT	40°	✓			
 EASYPRINT NYLON	160 µm	✓			✓	COATED NYLON	140°	20 sec	WARM & SLOWLY	40°				✓
FLOCK PRINTABLE MEDIA														
 FLOKPRINT				✓	✓		160°	20 sec	 HOT	40°		✓		
PRINTABLE MEDIA FOR OUTDOOR USE														
 SUNMARKPRINT	160 µm	✓				AWNINGS OUTDOOR SUPPORTS	100°	20 sec	 HOT	✗				✓
PRINTABLE MEDIA FOR SUBLIMATION PRINTING														
 SUBLITEX	200 µm		✓	✓			170°	50 sec		60°				
 SUBLIFLOK	N/D		✓	✓			170°	50 sec		60°				
 FAB'TWILL®	190 µm	 Lasercut		✓			160°	20 sec	 COLD	40°/60°				
 FAB'TWILL® SIR	230 µm	 Lasercut					160°	20 sec	 COLD	40°/60°				
PRINTABLE MEDIA FOR INKJET PRINTERS														
 ALLJET DARK	105-110 µm				✓		160°	20 sec	 COLD	40°				
 NEWJET	85 µm				✓		160°	20 sec	 COLD	40°				



Handwash only
Lavage à la main
uniquement



Not recommended
Non recommandé



Polyuréthane



White Polyester Textile

ATT490

Low Tack

► Honeycomb backing

 Standard 50/75 cm x 25m

ATT495

Strong Tack

► Universal tape with smooth backing

 Standard 50 cm x 25 m

ATT450

Low / Medium Tack

► Honeycomb backing


 Standard 50/75 cm x 25m

ATT500

Medium Tack

► Without backing, adapted to a laminator use

 Standard 50 cm x 25 m



NEW

Sublimation Paper

Subli 5700 ► 5700

 Standard 70 cm x 10 m

NEW

DTF PET

PET DTF ► 5900

 Standard 60 cm x 100 m

Accessories

HOOK 8901

► Stainless steel pick with an ultra-fine tip for precision weeding.

TWEEZER - 8902

► Stainless steel tweezer for easy weeding.

SQUEEGEE - 8903

► Accessory driving air bubbles out when applying tape on printable media.

All our application guidelines are available on our technical datasheets on www.chemica.fr

Chemica

HEAT TRANSFERS FOR TEXTILES

WHO WE ARE


EXPERTS
40 years

of heat transfer expertise



SPECIFIC DEMAND

All your demands may be studied,
do not hesitate to contact our
salesteam !



WORLDWIDE

Acting in more than 80 countries



TEAM

50 people

Strong customer-oriented team



**MADE IN
FRANCE**



QUALITY

Compliance with the most
demanding standards
Very high quality products



AVAILABILITY

Products available **on stock**

CHEMICA SAS,
35 rue de Malacussy, BP
20173, 42012 Saint-Etienne
Cedex 2,
FRANCE

Tel : +33 (0)4 77 49 20 90
Mail : info@chemica.fr



www.chemica.fr



FLEXDEV
GROUP

TRANSFER
YOUR IMAGINATION

Chemica | Stilscreen | Sefe | Elms | Sporting ID | Transfer ID