





HEAT TRANSFER PRESSES

PRESSES DE TRANSFERT À CHAUD

Sefa

CLAM PRESSES // PRESSES PORTEFEUILLE



E-CLAM 50 AUTO V3

E-CLAM 50 V3

Weight	44 Kg
Pressure	254 gr/cm ²
Max temperature	220°C
Power supply	240V single phase
Electric power	2500 W
Amperage	11 A
Plate	40x50 cm
Dimensions (HxLxW)	857x742x455 mm
Packing	CAI-NO3
Features	Manual closing Manual opening

E-CLAM 50 AUTO V3

45 Kg
254 gr/cm ²
220°C
240V single phase
2500 W
11 A
40x50 cm
857x742x455 mm
CAI-NO3
Manual closing Automatic opening

CLAM PRO / GPX V3

Weight	58 Kg
Pressure	330 gr/cm ²
Max temperature	220°C
Power supply	240V single phase
Electric power	2500 W / 3200 W (GPX)
Amperage	11 A / 14 A (GPX)
Plate	40x50 cm
Dimensions (HxLxW)	969x990x453 mm
Packing	CAI-011
Features	Automatic opening Manual drawer



CLAM PRO V3

ROTEX SWING PRESSES // PRESSES LATÉRALES



ROTEX PRO V3

ROTEX ONE V3

Weight	80 Kg
Pressure	590 gr/cm ²
Max temperature	220°C
Power supply	240V single phase
Electric power	2500 W
Amperage	11 A
Plate	40x50 cm
Dimensions (HxLxW)	759x909x569 mm
Packing	CAI-011
Features	Manual opening Manual swing

ROTEX LITE V3

81 Kg
590 gr/cm ²
220°C
240V single phase
2500 W
11 A
40x50 cm
759x909x569 mm
CAI-011
Automatic opening Manual swing

ROTEX PRO V3

81 Kg
590 gr/cm ²
220°C
240V single phase
3200 W
14 A
40x50 cm
759x909x594 mm
CAI-011
Automatic opening Automatic swing

ROTEX AIR LITE V3

Weight	81 Kg
Pressure	400 gr/cm ²
Max temperature	220°C
Power supply	240V single phase
Electric power	2500 W
Amperage	11 A
Plate	40x50 cm
Dimensions (HxLxW)	621x847x572 mm
Packing	CAI-011
Features	Automatic opening Automatic closing Manual swing Compressed air required

ROTEX AIR PRO V3

82 Kg
400 gr/cm ²
220°C
240V single phase
3200 W
14 A
40x50 cm
621x847x597 mm
CAI-011
Automatic opening Automatic closing Automatic swing Compressed air required



ROTEX AIR PRO V3

DUPLEX DUAL PLATE PRESSES // PRESSES DOUBLE PLATEAU



DUPLEX AIR PRO V3

DUPLEX LITE^{V3} DUPLEX PRO^{V3} DUPLEX AIR PRO^{V3}

Weight	158 Kg	170 Kg	193 Kg
Pressure	625 gr/cm ²	625 gr/cm ²	625 gr/cm ²
Max temperature	220°C	220°C	220°C
Power supply	240V single phase	240V single phase	240V single phase
Electric power	3200 W	3200 W	3200 W
Amperage	14 A	14 A	14 A
Plate	40x50 cm	40x50 cm	40x50 cm
Dimensions (HxLxW)	713x843x1079 mm	713x891x1079 mm	713x891x1079 mm
Packing	CAI-DU-PRO	CAI-DU-PRO	CAI-DU-PRO
Features	Automatic opening Automatic closing Manual swing Compressed air required	Automatic opening Automatic closing Automatic swing Compressed air required	Automatic opening Automatic closing Automatic swing Membrane plate Compressed air required

DUPLEX MINI PRO

Weight	60 Kg
Pressure	993 gr/cm ²
Max temperature	220°C
Power supply	240V single phase
Electric power	600 W
Amperage	3 A
Plate	Not included
Dimensions (HxLxW)	625x646x941 mm
Packing	CAI-009
Features	Automatic opening Automatic closing Automatic swing Compressed air required



DUPLEX MINI PRO

LOGO & SPORT PRESSES // PRESSES À LOGO & SPORT



LP 130 T V3

LM 130 REL^{V3} LE 130 L^{V3} LP 130 T^{V3}

Weight	19 Kg	22 Kg	25 Kg
Pressure	600 gr/cm ²	600 gr/cm ²	940 gr/cm ²
Max temperature	220°C	220°C	220°C
Power supply	240V single phase	240V single phase	240V single phase
Electric power	400 W	400 W	400 W
Amperage	2 A	2 A	2 A
Plate	13x13cm	13x13 cm	13x13 cm
Dimensions (HxLxW)	621x549x233 mm	621x549x233 mm	498x544x274 mm
Packing	AMERICAN	AMERICAN	AMERICAN
Features	Manual opening Manual closing	Automatic opening Manual closing	Automatic opening Automatic closing Compressed air required

CLAM SPORT^{V3}

Weight	24 Kg
Max temperature	220°C
Power supply	240V single phase
Electric power	600 W
Amperage	3 A
Plate	Not included
Dimensions (HxLxW)	899x503x263 mm
Packing	CAI-SPORT
Features	Automatic opening



CLAM SPORT V3 with CAP, BALL and SHOE ACCESSORIES



LARGE FORMAT PRESSES



SLIDE PRESSES // SLIDE PRESSES



SLIDE 655

NEW

Weight	115 Kg
Pressure	363 gr/cm ²
Max Temperature	220°C
Power supply	240V
Electric power	3200 W
Amperage	14 A
Plate	64x54cm
Working area	60x50 cm
Dimensions (HxLxW)	665x722x870 mm
Packing	CAI-DU-PRO
Features	Automatic opening Automatic closing Manual drawer 1 heating zone

SLIDE 865

SLIDE 1285

Weight	261 Kg	419 Kg
Pressure	453 gr/cm ²	386 gr/cm ²
Max Temperature	255°C	255°C
Power supply	240V single phase	400V 3 phases
Electric power	6000 W	12000 W
Amperage	28 A	18 A
Plate	85x65 cm	125x85 cm
Working area	80x60 cm	120x80 cm
Dimensions (HxLxW)	794x1756x893 mm	794x2153x1286 mm
Packing	CAI-SLIDE	CAI-SLIDE
Features	Automatic opening Automatic closing Manual drawer 2 heating zones	Automatic opening Automatic closing Manual drawer 2 heating zones



SLIDE 865

SUBLI LARGE FORMAT PRESSES // SUBLI LARGE FORMAT PRESSES

SUBLIMAXI 2513

Weight	2180 Kg
Pressure	318 gr/cm ²
Max temperature	220°C
Power supply	400V 3 phases
Electric power	35000 W
Amperage	56 A
Plate	255x130 cm
Working area	250x125 cm
Dimensions (HxLxW)	1446x3202x3007 mm
Packing	CAI-SUBLI-2513
Features	Automatic opening Automatic closing Automatic drawing 2 Plates 4 heating zones




SUBLIMAXI 2513

SUBLI 1510 +



SUBLIMAXI 1510+-

Weight	1000 Kg
Pressure	296 gr/cm ²
Max temperature	220°C
Power supply	400V 3 phases
Electric power	20250 W
Amperage	32 A
Plate	157x107 cm
Working area	152x102 cm
Dimensions (HxLxW)	1370x2740x2019 mm
Packing	CAI-SUBLI
Features	Automatic opening Automatic closing Automatic drawing 2 Plates 2 heating zones




Working Plates Plateaux de travail

PLA-SET	Set with 48, 49, 50 & 51
PLA-48	15 x 15 cm
PLA-49	12 x 8 cm
PLA-50	25 x 30 cm
PLA-51	12 x 45 cm
PLA-3040	30 x 40 cm
PLA-DRY M	Sponge drying plate 40 x 50 cm
ACC-CHAUD-INF	Heating lower plate 40 x 50 cm
PLA-3035 AIRCLAM	Membrane plate 30 x 35 cm
PLA-SHOES CV	Shoe plate 40 x 50 cm

Support Tables Tables support

TAB-98 LITE / R	For all except Duplex and Slide (R for wheels)
TAB-98 PRO / R	For Duplex range (R for wheels)
TABL-98 / R	For Slide models (R for wheels)



Nomex® Covers Housses Nomex®

HOU-50	For 40 x 50 cm plate
HOU-3040	For 30 x 40 cm plate
HOU-2530	For 25 x 30 cm plate
HOU-1245	For 12 x 45 cm plate
HOU-4555	For 45 x 55 cm plate

Compressors Compresseurs

COMP-37	FOR AIR CLAM X, ROTEX AIR AND LP 130 T
COMP-74	FOR DUPLEX MINI AND SLIDE 865
COMP-111	FOR DUPLEX, SLIDE 1285 AND SUBLI 1510 +
COMP-300	FOR SUBLIMAXI 2513 +




Laser system Laser de position


CROI-161	For ROTEX series (1 laser)
CROI-160	For DUPLEX series (2 lasers)
CROI-160X4	For DUPLEX series (4 lasers)
LAS-PRO	Additional laser

Large format accessories Accessoires grand format

FEU-XXX	POLYESTER / ARAMID FELT FOR SLIDE & SUBLI
TOI-TXXXX	HEAT PLATE TEFLON COVER FOR SLIDE & SUBLI
TOI-NXXXX	HEAT PLATE NOMEX® COVER FOR SLIDE & SUBLI
PAP-TP-SEXXX	HD SUBLIMATION PAPER 110G/M² 44" & 64"
ASP-SUBLI	EXTRACTION SYSTEM FOR SUBLI RANGE



Sport Accessories Accessoires sport



ACC-CAP CB v3	Upper & lower cap accessory for Clam Sport
ACC-CAP US CB v3	Upper & lower US cap accessory for Clam
ACC-SHL CB	Lower logo & shoes accessory for Clam Sport
ACC-BALL v3	Upper & lower ball accessory for Clam Sport
PLA-6 CB v3	Flat heating plate for ball and shoe for Clam Sport
PLA-CB2	Lower ball accessory
ACC-PLA DUPLEX MINI PRO	Logo plate 16 x 16 cm
ACC-CAP DUPLEX MINI PRO	Cap accessory 18 x 8 cm

CLAM PRESSES // PRESSES PORTEFEUILLES

											
ECLAM 50 REL ^{V3}	●			●	●	●			●		
ECLAM 50 AUTO ^{V3}	●	●		●	●	●				●	
CLAM PRO ^{V3}	●	●		●	●	●	●			●	
CLAM PRO GPX ^{V3}	●	●		●	●	●	●	●		●	

SWING PRESSES // PRESSES LATÉRALES

												
ROTEX ONE ^{V3}	●			●	●	●	●			●		
ROTEX LITE ^{V3}	●	●		●	●	●	●				●	
ROTEX PRO ^{V3}	●	●		●	●	●	●	●			●	
ROTEX AIR LITE ^{V3}	●		●	●	●	●	●				●	
ROTEX AIR PRO ^{V3}	●		●	●	●	●	●	●			●	

DUAL PLATE PRESSES // PRESSES DOUBLE PLATEAUX

												
DUPLEX LITE ^{V3}	●		●	●	●	●	●	●	●			
DUPLEX PRO ^{V3}	●		●	●	●	●	●	●	●			●
DUPLEX AIR PRO ^{V3}	●		●	●	●	●	●	●	●	●	●	●
DUPLEX MINI PRO	●		●	●	●	●					●	●

LOGO & SPORT PRESSES // PRESSES À LOGO & SPORT

												
LM 130 REL ^{V3}	●			●	●	●				●		
LE 130 L ^{V3}	●	●		●	●	●				●		
LP 130 T ^{V3}	●		●	●	●	●				●		●
CLAM SPORT ^{V3}	●	●		●	●	●				●		

LEGEND // LÉGENDE



Touch screen



Electromagnetic



Pneumatic



2-year warranty



10-year warranty
for heating elements



Programs



Quick release



GPX 3200W



Eco mode



Foot pedal



Membrane system

 **GENERAL INSTRUCTIONS FOR USE**
Due to the variety of substrates, their treatments and the conditions of application, which are beyond our control, trials must be made before each use.

 **INSTRUCTIONS GÉNÉRALES D'UTILISATION**
Du fait de la grande variété des supports et de leurs traitements, ainsi que des conditions d'application en dehors de notre contrôle, des essais sont à faire avant toute application.

 **INSTRUCCIONES GENERALES DE USO**
Debido a la gran variedad de soportes, tratamientos y condiciones de aplicación que están fuera de nuestro control, siempre aconsejamos hacer pruebas antes de cualquiera producción en serie.

 **ALLEGEMEINE ANWEISUNGEN ZUM GEBRAUCH**
Aufgrund der großen Anzahl von Substraten und ihrer Verarbeitung sowie der Bedingungen während der Anwendung, die außerhalb unserer Kontrolle liegen, sollten vor jeder Verwendung Tests durchgeführt werden.



HEAT TRANSFER TECHNOLOGIES

Sefa has been for more than 40 years, French designer and manufacturer of heat transfer presses for the textile industry and the sublimation market on solid materials, with an international experience and a recognized quality of products.

Sefa est depuis plus de 40 ans, concepteur et fabricant français de presses de transfert à chaud pour l'industrie textile et le marché de la sublimation sur matériaux solides, fort d'une expérience internationale et d'une qualité de produits reconnue.

WHO WE ARE

Sefa offers standard or personalized solutions to transfer on T-shirts, sporting goods, caps, luggage, cups, mousepads and other items of visual and photographic communication. Our wide range of presses extends from the single-tray manual press for the launch of your activity, to the large format sublimation press for Chromaluxe applications, to the dual plate pneumatic press for higher production rates. More recently, we have come to add to our presses drying solutions for direct printing applications and have now been very well known for our large presses range dedicated to sublimation techniques.

Sefa vous propose des solutions standard ou personnalisées pour transférer sur tee-shirts, articles de sport, casquettes, bagagerie, et autres articles de communication visuelle et photographique. Notre large gamme de presses s'étend de la presse manuelle simple plateau pour un lancement d'activité, à la presse de sublimation grand format pour applications Chromaluxe, en passant par la presse pneumatique double poste pour des cadences de production plus élevées. Plus récemment, sont venues se rajouter à nos presses des solutions de séchage pour les applications d'impression directe et sont maintenant très connus pour notre gamme de grandes presses dédiées aux techniques de sublimation.



MADE IN FRANCE
High quality manufacturing
made in Esperaza, France.

MADE IN FRANCE
Une fabrication de haute qualité à
Espérazza en France.



HERE TO HELP
Assistance and support from our
multilingual customer service.

UNE ÉQUIPE À VOTRE ÉCOUTE
Une assistance et une aide
multilingue de nos conseillers.



QUALITY ACHIEVEMENT
The largest range of quality and
innovative products.

AU COEUR DE L'INNOVATION
La plus large gamme de produits
innovants de qualité.



WORLDWIDE BUSINESS
Products sold in more than 80
countries.

UNE PRÉSENCE MONDIALE
Des produits distribués dans plus
de 80 pays.



WORK WITH PASSION
Your full satisfaction drives us
throughout the work we do on each
press, day after day.

TRAVAIL AVEC PASSION
Votre entière satisfaction nous
guide dans le travail que nous
effectuons sur chaque presse, jour
après jour.

FLEXDEV Group is present in the field of textile personalisation / decoration thanks to its different companies: heat transfers for textile - CHEMICA, screen printing heat transfers - STILSCREEN and SPORTING ID, customisation services - ELMS MARKETING, online craft distribution - TRANSFER ID and heat transfer presses with SEFA.

FLEXDEV Group est présent dans la personnalisation et la décoration de textiles à travers ses différentes entités films de transfert à chaud - CHEMICA, transferts sérigraphiques - STILSCREEN and SPORTING ID, services de personnalisation - ELMS MARKETING, distribution E-commerce dans le domaine du craft - TRANSFERID et les presses de transfert à chaud avec SEFA.



Chemica | Stilscreen | Sefa | Elms | TransferID | Sporting ID

Email

sales@sefa.fr
support@sefa.fr
www.sefa.fr

Phone

Office : + 33 4 68 74 05 89



Address

SEFA SAS
Z.I. PASTABRAC
11 260 ESPERAZA
FRANCE



Sefa

